

NOVUM

Redefining refrigeration

PANAMA GREEN Technical Specifications



PATENT
PENDING





"Best in Class"
ENERGY
CONSUMPTION
(www.leap.ch Switzerland)
ICE FREE

www.novum.ie


Technical Specifications

Panama Green		3 Door	2 Door
Technical Data			
Gross content	litre	2500	1667
Net Content according to EN 23953	litre	2200	1467
Glass Area Display Area	M ²	2.72	1.81
Total Display Area (TDA) according to Eco-design Directive	M ²	2.72	1.81
Classification according to EN 23953		3L1	3L1
Energy Class according to Eco-design Directive		C	C
Ambient Temperature Range	°C	+16 to +25	+16 to +25
Inner Temperature Range	°C	-18 to -25	-18 to -25
Sound Pressure at 1m Distance	dB(A)	48	46
Electrical Data			
Nominal Voltage / Frequency	V / Hz	220-240 / 50	220-240 / 50
Nominal Power Cabinet	w	1450	967
Nominal Power LED Light	w	6 x 14	4 x 14
Nominal Current	A	6.3	4.0
Fuse Protection	A	13	13
Energy consumption at 25°C according to Eco-design Directive	kWh/24h	18.78	12.52
Length of Power Supply Cord	mm	2000	2000
Refrigeration Data			
Refrigerant	Type	R290	R290
Gas Charge	g	3x 65	2 x 65
Maximum Operating Pressure	bar	30	30
Maximum Heat Output	W/h (Btu/h)	1800	1200
Dimensions			
Length Outside/ Inside	mm	2300 / 2150	1548 / 1393
Depth Outside/ Inside	mm	950 / 723	950 / 723
Depth of shelves	mm	660	660
Number of shelves (per door)	no.	4	4
Weight			
Net Weight (excl. packaging, incl. internal accessories)	Kg	420	315
Gross Weight (incl. packaging & internal accessories)	Kg	450	112.5 / 337.5



Panama Green External Dimensions - 2 door and 3 door



Panama Green Internal Dimensions



ENERGY LABEL:



Novum (Overseas) Ltd.

The Novum Building
Clonshaugh Technology & Business Park
Dublin 17, Ireland

+353 1 803 6400

www.novum.ie

NOVUM
Redefining refrigeration